



भाकृअनुप-राष्ट्रीय उच्च सुरक्षा पशु रोग संस्थान
ICAR-National Institute of High Security Animal Diseases

(एवियन इन्फ्लूएंजा ओ.आई.ई. संदर्भ प्रयोगशाला)
(OIE Reference Laboratory for Avian Influenza)

आनंद नगर, भोपाल - ४६२०२२ (म.प्र.), भारत
Anand Nagar, Bhopal - 462022 (M.P.), India



EPABX Tel. No. 0755-2757542, 2750647, FAX: 0755-2758842, Website: www.nihsad.nic.in

F. No. 9-309/18-19/NIHSAD (P&S)

Dated: - 02.01.2019

To

.....
.....

Sub:- Repairing of Trenches alongwith MS Angular support at Boiler section – reg.

Dear Sirs,

We intend to get the repairing work of Trenches done as detailed below at our Institute (Boiler Unit): -

Sr. No.	Description of Job	Unit	Rate (per ft.)	Amount
1.	MS angular support of size 50 mm X 50 mm & 6 mm thickness along with fabrication works including associated civil work (As per Annexure 1 enclosed)	Ft.		
	GST @% as applicable			
TOTAL				


You are requested to give Quotation/PI of the above items. Please Note that:-

1. Rates should be inclusive of all required materials and labour (Fixing and grouting).
2. Rates are to be quoted on F.O.R. NIHSAD, Bhopal.
3. Warranty is to be offered for minimum one year.
4. Firm's representative may visit at Institute during office hours before quoting the rates.
5. This institute is registered with the Department of Scientific & Industrial Research (DSIR), Govt. of India for purpose of availing custom duty exemption in terms of Government, Notification No. 51/96-Customs dated 23 July 1996 and central excise duty exemption in terms of Government Notification No. 10/97-Central Excise dated 1 March 1997. Hence, GST is also to be charged accordingly.
6. Firm may submit their GST Registration & PAN Number as a copy of proof alongwith quotation/offer.
7. E-Payment will be made within 30 days from the date of satisfactory repair of Trenches.
8. Date & Time Opening (Tentative) : - 28.01.2019 at 11:30 AM.
9. Supply and repair Period: - 30 days.
10. Bid Validity: - 180 days.

Clause: - Evaluation of work will be done in totality and final payment will be made on the basis of actual measurement of total running feet length of MS angular support & civil works.

The Quotation may be submitted upto **25.01.2019** in a closed envelope duly superscribed.

Yours Sincerely,


(S. K. GUPTA)
Sr. Adm. Officer

Scope of Work :-

1. Safe removal of existing MS angular supports (Size 50 mm X 50 mm) with 6 mm thickness of required 225 feet (approx.) running length which is to be repaired should be completed in all aspects.
2. Fixing of new 225 feet running length MS angular supports (50 mm X 50 mm) with 6 mm thickness at removed portion.
3. The MS angular supports must be fabricated with L-shape (6 inch long along with 2 inch long bend) side fasteners for hole pass at a gap of maximum 1 meter between two consecutive fasteners for proper grouting of plates in the ground.
4. The MS angular supports must also have internal support for MS plate coverings which must be leveled with the ground surface.
5. Painting of MS angular plate shall be with one coat of red oxide Primer and two coat of synthetic enamel paint (Asian/Berger/Nerolac) of black colour.
6. All the materials used in construction shall conform to the requirement of latest **BIS specifications**.
7. All the dismantled items will be the property of NIHSAD.
8. All fabrication work shall be of good weld able quality.
9. All work/items required but not mentioned for executing the work should be taken into account while quoting the bid.