



F. No. 9-199/20-21/NIHSAD (P&S)

Dated: - 07.12.2020

To

.....

Sub:- Repairing work for Roof Treatment of the Community Centre at ICAR-NIHSAD, Bhopal - reg.

Dear Sir(s),

We intend to carry out the repairing work as follows:-

Name of work	Qty.	Rate (In Rupees)	Total (In Rupees)
Roof Treatment of the Community Center (Schedule of Quantities enclosed)			
GST@% (if applicable)			
*Total FOR NIHSAD, Bhopal			

You are requested to give Quotation/PI of the above said works. Please note that:-

1. Rates should be inclusive of all required materials and labour.
2. Rates are to be quoted on F.O.R. NIHSAD, Bhopal.
3. Awardee firm has to submit/deposit 3% of total value as Performance Security money in shape of DD/FDR in favour of **ICAR Unit, NIHSAD, Bhopal** for the period of 14 months before undertaking the job.
4. Firms representative may visit the Institute premises during office hours before quoting the rates.
5. Warranty is to be offered for minimum one year.
6. GST, if any, to be shown separately.
7. E-Payment will be made within 60 days from the date of complete work in satisfactory condition.
8. Date & Time of Opening (Tentative): - **04.01.2021 at 11:00 AM.**
9. Work completion period: - 15 days.
10. Bid Validity: - 180 days.
11. Payment will be done after joint inspection as per actual measurement.

The Quotation may be submitted upto **02.01.2021** in a closed envelope duly superscribed.

Yours Sincerely,


(PS Sunil Kumar)

Administrative Officer
Phone No. 0755-2754672

9-199/20-21/NIHSAD (P&S)

Dated: - 07.12.2020

Scope of Work

Name of Work : Roof treatment Of the Community center of ICAR-
NIHSAD

SCHEDULE OF QUANTITIES

S.no.	Description of work	Unit	QTY	Rate	Amount
1	Dismantling old plaster or skirting raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 metres lead.	sqm	250		
2	Providing and laying water proofing treatment on roofs of slabs by applying cement slurry mixed with water proofing cement compound consisting of applying : a) after surface preparation, first layer of slurry of cement @ 0.488 kg/sqm mixed with water proofing cement compound @ 0.253 kg/sqm. b) laying second layer of Fibre glass cloth when the first layer is still green. Overlaps of joints of fibre cloth should not be less than 10 cm. c) third layer of 1.5 mm thickness consisting of slurry of cement @ 1.289 kg/sqm mixed with water proofing cement compound @ 0.670 kg/sqm and sand @ 1.289 kg/sqm. This will be allowed to air cure for 4 hours followed by water curing for 48 hours. The entire treatment will be taken upto 30cm on parapet wall and tucked into groove in parapet all around. Note:- Cement- Ultratech, ACC, Birla Water Proof Compound- Ultratech, Chouksey M-81, Dr. Fixit	sqm	250		
3	Grading roof for water proofing treatment with Cement concrete 1:2:4 (1 cement : 2 sand : 4 graded stone aggregate 20 mm nominal size)	cum	18		
				Total	
				Applicable GST	
				Grand Total	